

HYDROPRENE	GROUP	7A	INSECTICIDE
NOVALURON	GROUP	15	INSECTICIDE
PYRIPROXYFEN	GROUP	7	INSECTICIDE

Tekko[®] Trio



Insect Growth Regulator

- Breaks the cockroach life cycle
- Inhibits reinfestation by cockroaches for 6 months
- Powered by 3 modes of action

ACTIVE INGREDIENTS:

(S)-Hydroprene	9.0%
Novaluron	2.6%
Pyriproxyfen	2.6%

OTHER INGREDIENTS:85.8%

TOTAL:100.0%

Contains 0.7 lbs. (S)-Hydroprene, 0.2 lbs.

Novaluron and 0.2 lbs. Pyriproxyfen per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No. 53883-444

EPA Est. No. 53883-TX-002

Net Contents: 1 PINT



Manufactured by:

Control Solutions Inc.

A member of the ADAMA Group

5903 Genoa-Red Bluff
Pasadena, TX 77507

EPA 052721

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear protective eyewear, a long sleeve shirt, long pants, shoes and socks while performing mixing and loading activities. Remove and wash contaminated clothing before reuse. After product is diluted in accordance with the directions for use, protective eyewear is not required.

PHYSICAL AND CHEMICAL HAZARDS

Do not mix or allow contact with oxidizing agents with a final concentration of Tekko Trio in a ratio greater than 2:1. Hazardous chemical reaction may occur. In order to avoid incompatibility with water, the ratio of the product to water must not exceed the 2:1 ratio. This ratio was used in assessing the oxidation/reduction:chemical incompatibility of Tekko Trio.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For indoor use only, do not use outdoors.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

This product is effective against Ants, Bed Bugs, Cockroaches, Crickets, Fleas, Flying Insect Pests (including Flies, Moths, Midges, Mosquitoes and Gnats), Stored Product Pests (including Indian Meal Moths, Rice Moths, Tobacco Moths, Red Flour Beetles, Confused Flour Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Warehouse Beetles, Cigarette Beetles, and Dermestid Beetles), and Ticks.

Specific areas where Tekko Trio treatments may be made include the indoor areas listed below:

Apartments, Atriums, Attics, Bathrooms, Basements, Bedrooms, Cabinets, Cabins, Campers, Campsites, Carpets, Closets, Commercial Buildings, Condominiums, Crawl Spaces, Crematoriums, Day Care Centers, Draperies, Dressers, Enclosed Gazebos, Enclosed Porches and Patios, Factories, Floors, Funeral Parlors, Furniture, Garages, Garbage Areas (interior), Garbage Cans, Gas Stations, Golf Course Clubhouses, Homes, Hospitals, Hotels, Industrial Plants, Institutions, Interior of Park Structures, Jails, Kitchens, Locker Rooms, Mausoleums, Maintenance Buildings, Mobile Homes, Morgues, Mortuaries, Motels, Nursing

Homes, Office Buildings, Other Public Buildings, Prisons, Rooms, Schools, Sports Stadiums, Storage Areas, Supermarkets, Taverns, Theaters, Utility Rooms Indoor, Warehouses, and Washrooms;

Animal Quarters (enclosed premise treatment), Cat Living Quarters (enclosed premise treatment), Dog Houses, Dog Living Quarters, Dog Kennel Runs (enclosed), Kennels, Pet Bedding, Pet Carriers, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Quarters (enclosed premise treatment), Veterinaries, Zoos;

Candy Plants, Canneries, Bakeries, Breweries, Cereal Processing Facilities, Food Processing Plants, Food and Non-Food Warehouses, Cafeterias, Indoor Eating Establishments, Grocery Stores, Institutional Dining Areas, Flour Mills, Grain Storage Facilities, Restaurants, Dairies, Delicatessens;

Transportation Equipment (automobiles, boxcars, buses, boats, trucks, railcars, ship cargo holds) *except aircraft.

Final Dilution Rates for Tekko Trio

	% Dilution for Mix Rates	
	0.5 fl.oz./ Gal	1.0 fl. oz./ Gal
S-Hydroprene	0.035%	0.07%
Novaluron	0.01%	0.02%
Pyriproxyfen	0.01%	0.02%

Preparation of Adulicide and Tekko Trio Combination:

Tekko Trio can be mixed with other EPA registered pesticides and used in accordance with the most restrictive of label limitations and precautions. No label dosage rates may be exceeded.

Tank Mixes: It is the user's responsibility to ensure that all products are registered for the intended use. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture. Make applications in accordance with those use precautions and label instructions that are consistent for each product. Prepare the tank mix using the label rate of adulticide and Tekko Trio by adding the adulticide first and making sure it is well mixed and in suspension, then adding the correct amount of Tekko Trio according to the label instructions below.

Note: This product cannot be mixed with any product containing a label prohibition against such mixing.

USE PRECAUTIONS:

- Do not use this product in or on electrical equipment due to possibility of shock hazard.
- Do not excessively wet carpet, draperies and furniture.
- Always test in an inconspicuous area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.

USE RESTRICTIONS:

- Do not use outdoors.
- Remove pets prior to spraying treatment area.
- After treatment, do not allow children and pets into treated areas until spray is dried.
- Do not allow children or pets to contact treated surfaces until spray has dried.
- Do not make interior applications in areas of facility where animals are present.
- Do not allow animals back into treatment areas of facility until treated areas have dried.
- Cover or remove exposed food, feed, water and watering equipment.
- When used in hospital rooms, convalescent hospital rooms, and nursing home rooms, remove patients prior to treatment.
- Ventilate treated rooms thoroughly for two (2) hours after treatment. Do not return patients to treated room until after ventilation.

SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT.

BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

SHIELDED SPRAYERS

Shielding the boom or individual nozzles can reduce spray drift. Consider using shielded sprayers.

Verify that the shields are not interfering with the uniform deposition of the spray on the target area.

TEMPERATURE AND HUMIDITY

When making applications in hot and dry conditions, use larger droplets to reduce effects of evaporation.

Handheld Technology Applications:

Take precautions to minimize spray drift

CONTROL OF BED BUGS

Tekko Trio contains insect growth regulators which disrupt the normal growth and development of bed bugs. Application of Tekko Trio will prevent future generations of bed bugs.

Use Sites	Application Method	Application Rate	Use Directions
Interior Spot, Crack and Crevice Application	Pressurized spray system capable of delivering a pinpoint or variable spray pattern Low Pressure Sprayer	<u>Dilute spray solution:</u> 1 fl. oz. per gal. of water <u>Spray rate:</u> 1 gal. per 1,500 ft ²	Make crack and crevice applications directly to areas such as furniture (i.e. night stands and dressers) crevices, baseboards, floors, ceilings, or walls. Make spot treatments to areas such as storage areas, closets, doors, and behind and under furniture and beds. To treat bedbugs, apply to harborage points mentioned above; in addition, bed frame, back of head board, under beds, bottom side of box springs (do not treat linens and mattresses), under and behind night stands or other furniture, to points where carpet and wall meet, cracks in cove base, molding, and other areas where bedbugs harborage. Re-treat every 14 days as needed.

Notes:

- If a high population of adult bed bugs is present or for immediate relief of adult bed bugs, it may be necessary to use an adulticide. Tekko Trio may be combined with an EPA registered adulticide (see **Tank Mixes** on page 3 for mixing instructions. This mixture will also inhibit the development of the immature stages of the bed bugs. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture. Use the application rate specified in the table above.
- Before treatment, vacuum carpets, draperies and upholstered furniture. Dispose of vacuum bag in an outdoor trash receptacle.
- This is just part of a complete bed bug control program.

08

CONTROL OF COCKROACHES AND CRICKETS

All active ingredients in Tekko Trio are insect growth regulators. These active ingredients work together to reduce and eventually control the pest population by interfering with the insect's growth and development and prevent future generations. Tekko Trio will prevent nymphal cockroaches and crickets from developing into adults. After application, cockroaches with twisted wings may appear indicating that they are unable to reproduce. When used as directed, cockroach and cricket populations will be controlled. One treatment works for 6 months against hatching cockroaches and crickets.

Spray Mixing: Prepare a diluted spray solution by adding 1 fluid ounce Tekko Trio per gallon of water. Partially fill the mixing container with water, add Tekko Trio, agitate and fill to the final volume. Agitate before each use. Do not allow spray mixture to stand overnight.

USE RESTRICTIONS:

- Do not spray into the air; only spray onto the specific use sites.
- This product cannot be mixed with any product containing a label prohibition against such mixing.

Use Sites	Application Method	Application Rate	Use Directions
Indoor Spot, General Surface Application, or Crack and Crevice	Pressurized spray system capable of delivering a pin-point or variable spray pattern Low-pressure Sprayer	<u>Dilute spray solution:</u> 1 fl. oz. per gal. of water <u>Spray rate:</u> 1 gal. per 1,000 ft ²	Contact as many insects as possible. Thoroughly spray all areas where these pests may hide paying attention to places such as beneath sinks, behind and beneath stoves and refrigerators, cracks and crevices, around garbage cans, cabinets, along the outside of baseboards, door and window sills, door and window frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, infested furniture and the inside of cabinets and closets. Repeat treatment every 6 months, or as needed, but not more than every 21 days.

Use Sites	Application Method	Application Rate	Use Directions
Wall voids and other small structural void areas	ULV equipment, mechanical misting sprayers, aerosol generators, fog injection systems	<p>Mix 1 fl. oz. of Tekko Trio with 1 fl. oz. of petroleum distillate or 1 fl. oz. of water and agitate to assure a uniform mixture.</p> <p>The resulting 2 fl.oz. of solution will then be used to treat 1,900 cubic feet of space.</p>	<p>Using an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices to completely fill the wall and other small structural void areas. Follow the injection equipment manufacturer's recommendations for the proper set up and air pressures. Allow the air stream to push the material deep into the space.</p> <p>Ventilate area thoroughly before re-entry.</p> <p>Repeat treatment every 6 months, or as needed, but not more than every 21 days.</p>
	Foam application	<p>1.0 fl. oz. per gallon of diluent</p> <p>To convert to foam, add foaming agent at the manufacturer's recommended rate.</p>	<p>Inject foam directly into cracks and crevices to completely fill the wall, equipment and other small structural void areas. Follow the injection equipment manufacturer's recommendations for the proper set up and air pressures. Allow the air stream to push the material deep into the space.</p> <p>Ventilate area thoroughly before re-entry.</p> <p>Repeat treatment every 6 months, or as needed, but not more than every 21 days.</p>

Notes:

- If a high population of adult cockroaches is present or for immediate relief of adult cockroaches, it may be necessary to use an adulticide. Tekko Trio may be combined with an EPA registered adulticide. This mixture will also inhibit the development of the immature stages of the cockroach for up to 6 months. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture. Use the application rate specified in the table above.

CONTROL OF FLEAS AND TICKS

All active ingredients in Tekko Trio are insect growth regulators. These active ingredients work together to reduce and eventually control the pest population by interfering with the insect's growth and development and prevent future generations. Flea and tick eggs and larvae that come into contact with Tekko Trio will not develop into adults. Tekko Trio works for up to 7 months on fleas by inhibiting the development of the immature stages of the flea and preventing them from reaching the biting adult stage. Tekko Trio is not effective on adult fleas and ticks and flea pupae that already exist.

Spray Mixing: Prepare a diluted spray solution by adding 0.5 fluid ounce Tekko Trio per gallon of water. Partially fill the mixing container with water, add Tekko Trio, agitate and fill to final volume. Do not allow spray mixture to stand overnight. Agitate before each use.

USE RESTRICTIONS:

- Remove pets prior to spraying treatment area.
- After treatment, do not allow children and pets into treated areas until spray has dried.
- Do not allow children or pets to contact treated surfaces until spray has dried.

Use Sites	Application Method	Application Rate	Use Directions
Indoor Spot or General Surface Application	Pressurized spray system capable of delivering a pin-point or variable spray pattern Low-pressure Sprayer	<u>Dilute spray solution:</u> 0.5 fl. oz. per gal. of water <u>Spray rate:</u> 1 gal. per 1,500 ft ²	For use on carpets, furniture, pet sleeping areas & throw rugs, etc. Repeat treatment every 7 months if necessary. If needed, repeat treatments may be made 21 days after previous treatment.
Carpet	Non-Heat Extracting Carpet Shampoo Equipment	<u>Dilute instructions on carpet shampoo:</u> 0.5 fl. oz. per gal. (7.8 ml/L) of diluted shampoo <u>Application rate:</u> 1 gal. of diluted shampoo per 1,500 ft ² (139 m ²)	May also be used with a liquid, non-heat extracting carpet shampoo application. Allow carpet to completely dry and vacuum thoroughly. Repeat Tekko Trio application at 7 month intervals or as needed, but not more than every 21 days.

Use Sites	Application Method	Application Rate	Use Directions
Interior Kennels and Doghouses (building, resting areas, walls, floor, animal bedding & enclosed run areas)	Adjustable Hose-End Sprayer, Tank Type Sprayer, Sprinkling Can, Backpack Mister, or Low-Pressure Sprayer	<p><u>Dilute spray solution:</u> 0.5 fl. oz. per gal. of water</p> <p><u>Spray rate:</u> 1 gal. per 1,500 ft²</p>	<p>Treat pets and their bedding with EPA registered flea and tick control products, flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application as part of a complete flea control program.</p> <p>Repeat Tekko Trio application at 7 month intervals or as needed, but not more than every 21 days. Follow use directions for other EPA registered products that are used in conjunction.</p>

Notes:

- If a high population of adult fleas or ticks is present or for immediate relief of adult flea and ticks, it may be necessary to use an adulticide. Tekko Trio may be combined with an EPA registered adulticide (see **Tank Mixes** on page 3 for mixing instructions). This mixture will also inhibit the development of the immature stages of the flea for up to 7 months. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture. Use the application rate specified in the table above.
- Application of Tekko Trio prior to the flea and tick season will aid in reducing developing populations. Apply to areas where pets and other animals are known to frequent and where previous infestations have been known to occur to prevent the emergence of adult fleas and ticks and also control stages of fleas that don't resemble adult fleas.
- Before treatment, vacuum carpets, draperies and upholstered furniture. Dispose of vacuum bag in an outdoor trash receptacle.
- This is just part of a complete flea control program. To further prevent the introduction of adult fleas, pets and their bedding should also be treated with an EPA registered flea and tick control product, flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application as part of a complete flea control program.
- In CA, only for use on Lone Star ticks.

CONTROL OF STORED PRODUCT PESTS

(Including Indian Meal Moths, Rice Moths, Tobacco Moths, Red Flour Beetles, Confused Flour Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Warehouse Beetles, Cigarette Beetles, and Dermestid Beetles)

All active ingredients in Tekko Trio are insect growth regulators. These active ingredients work together to reduce and eventually control the pest population by interfering with the insect's growth and development and prevent future generations.

Spray/Mixing for Surface, Spot, Crack and Crevice Application: Prepare a diluted spray solution by adding 1.0 fluid ounce of Tekko Trio per gallon of water. Partially fill the mixing container with water, add Tekko Trio, agitate and fill to final volume. Agitate before each spray application.

Use Sites	Application Method	Application Rate	Use Directions
Food handling establishments, Transport Vehicles and Warehouses (food and non-food)	ULV equipment, mechanical misting sprayers, aerosol generators, or thermal foggers	Follow the equipment manufacturer's solution preparation instructions. Tekko Trio may be diluted with water or petroleum distillate. Application rate: 1 fl. oz. (44.3 ml) per 12,000 cubic feet (340 m ³)	Close area to be treated and shut off all ventilation Systems. Apply the product in the air and direct fog or mist toward all areas that may harbor target pests. After treatment, leave the room closed for 30 minutes or longer as recommended by the equipment manufacturer or the labels of other products applied in tank mixing. Do not remain in treated area. Ventilate thoroughly before reentry. Repeat Tekko Trio application at 90-day intervals.

Use Sites	Application Method	Application Rate	Use Directions
<p>General Surface Application, Spot and Crack and Crevice in Food and Non-Food Areas</p>	<p>Pressurized spray system capable of delivering a pin-point or variable spray pattern</p> <p>Low Pressure Sprayer</p>	<p><u>Dilute spray solution:</u> 1 fl. oz. per gal. of water (11.7 ml/L)</p> <p><u>Spray rate:</u> 1 gal. per 1,500 ft² (27 ml/m²)</p>	<p>For treatment of food processing and food handling establishments and in food and nonfood storage warehouses repeat application in 90 days. (Places other than private residences in which food is held, processed, prepared, or served)</p> <p>Crack and Crevice applications may be made directly to cracks and crevices, baseboards, floors, ceilings, walls, expansion joints, molding, areas around water and sewer pipes, voids where pests can hide and similar areas. Spot treatments may also be made to storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, shelves, drawers and similar areas.</p> <p>Contact as many insects as possible.</p> <p>For areas other than food handling establishments and food and nonfood storage warehouses, repeat Tekko Trio application at 90-day intervals or as needed, but not more than every 21 days.</p>

FOOD HANDLING ESTABLISHMENTS

(Places other than private residences in which food is held, processed, prepared, or served):

Application is limited to space (fogging), general surface, spot, and/or crack and crevice treatment in food handling establishments where food and food products are held, prepared, processed and served. Space and general surface application may be used only when the facility is not in operation provided exposed food is covered or removed from the area being treated prior to application. Spot, and/or crack and crevice treatments may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Fogging applications are recommended for larger facilities including food and non-food warehouses. After fogging, food contact surfaces must be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of the product.

Food Serving Areas: Tekko Trio may be used in food areas of food handling establishments, restaurants, or other areas where foods are commercially prepared or served. Tekko Trio may also be used in serving areas only when facility is not in operation or food is not exposed. Serving areas are areas where prepared foods are served, such as dining rooms. All food-processing surfaces and utensils must be covered or utensils removed during treatment or thoroughly washed before use. Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Repeat application in 90 days.

Non-Food Areas: Tekko Trio may be used to treat nonfood areas. Nonfood areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling), walls and floors, under and between pallets, areas of machinery and equipment, mop and equipment closets, behind cabinets, under

shelves and racks.

CONTROL OF ANTS

All active ingredients in Tekko Trio are insect growth regulators. These active ingredients work together to reduce and eventually control the pest population by interfering with the insect's growth and development and prevent future generations.

Use Sites	Application Method	Application Rate	Use Directions
Indoor Spot or General Surface Application	Pressurized spray system capable of delivering a pin-point or variable spray pattern Low Pressure Sprayer	Application rate: 1 fl. oz. per gal. of water per 1,000 ft ²	Apply Tekko Trio to interior areas of a building where ants are actively foraging. Repeat treatments may be made 14 days after previous treatment.

Note:

- For immediate control of adult ants, Tekko Trio may be used in a tank mix combination with an EPA registered adulticide insecticide, or as an alternating treatment with adulticide insecticide.

FOR CONTROL OF FLYING INSECT PESTS

(Including Flies, Moths, Midges, Mosquitoes and Gnats)

All active ingredients in Tekko Trio are insect growth regulators. These active ingredients work together to reduce and eventually control the pest population by interfering with the insect's growth and development and prevent future generations. Tekko Trio may be used for the control of house flies, stable flies, moths, mosquitoes, nuisance flies (gnats, midges) and other similar flying pest insects such as those classified as Dipterous or Hymenopterous. Tekko Trio causes a decrease in the number and hatching of eggs laid by treated adults. Fly larvae (maggots) treated with Tekko Trio cannot develop into normal adults. The use of Tekko Trio will result in a reduction in adult fly populations after 3-4 weeks, at the time when previously hatched adult flies have died naturally.

Tekko Trio may be used for control of flying insect pests in residential, commercial, public, industrial and agricultural buildings. Tekko Trio may be used to control nuisance flies, gnats, midges, and mosquitoes by application into moist breeding areas such as potted plants.

USE RESTRICTIONS:

- Do not make interior applications of Tekko Trio in areas of facility where animals are present.
- Do not allow animals back in treated areas of facility until treated areas have dried.
- Cover or remove exposed food, feed, water and watering equipment.

Use Sites	Application Method	Application Rate	Use Directions
<p>Indoor Applications to Residential, Commercial, Public, Industrial and Agricultural Buildings</p>	<p>General Surface (including Broadcast, Spot, Crack and Crevice) with pressurized spray system capable of delivering a pin-point or variable spray pattern Low Pressure Sprayer</p>	<p>0.5 fl. oz. per gal. of water per 1,500 ft² or 1,000 linear feet for crack and crevice</p>	<p>Treat all areas where flying insects may collect, rest or breed. Apply solution as a coarse, wetting spray to breeding and harborage sites. For drains, apply dilution into and around the drain and catch basin area. When possible, treat vertical surfaces surrounding breeding sites, where small flies tend to alight. If needed, repeat 14 days after previous treatment.</p>
<p>Fly breeding sites such as drains, traps of sinks, bathtubs, in-floor drains, cracks in flooring, loose grout, under bar mats, and under equipment.</p>	<p>Foam application</p>	<p>0.5 fl. oz. per gallon of diluent To convert to foam, add foaming agent at the manufacturer's recommended rate.</p>	<p>Using a professional foam applicator, apply finished foam to areas of fly breeding sites. For best results, foam should be applied thoroughly ensuring all void areas and fly breeding material is treated. Follow the requirements of the foam equipment manufacturer. If needed, repeat 14 days after previous treatment.</p>

Use Sites	Application Method	Application Rate	Use Directions
Livestock, Poultry Housing and Pet Kennels (Interior)	General Surface, Fogger/ULV, Backpack Mister, Crack and Crevice and Spray	0.5 fl. oz. per gal. of water per 1,500 ft ²	<p>Treat all areas where flying insects may collect, rest or breed, including vertical walls, ceilings, pipes, conduit, stalls, stanchions, floors, and walkways. When Tekko Trio is used alone, treatments can be extended to animal bedding, manure, moist organic matter and other potential areas where flying insects may breed.</p> <p>For surface applications, thoroughly wet floors, walls, ceilings, doors, around windows, garbage and refuse areas. Control will be enhanced when facilities are cleaned and interior applications are supplemented with exterior perimeter treatments.</p> <p>If needed, repeat 14 days after previous treatment.</p>
<p>Note:</p> <ul style="list-style-type: none"> For knockdown and more rapid control of adult flying insect pests or to control an influx of flies from untreated areas, Tekko Trio may be used in a tank mix combination with an EPA registered adulticide insecticide. 			

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store upright at room temperature. Avoid exposure to extreme temperatures. Store in a locked area out of reach of children and domestic animals. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container - If empty: Do not reuse or refill this container. Offer for recycling if available or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. **If partly filled:** Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.


To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS **CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting

from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

HYDROPRENE	GROUP	7A	INSECTICIDE
NOVALURON	GROUP	15	INSECTICIDE
PYRIPROXYFEN	GROUP	7	INSECTICIDE



Tekko[®] Trio

Insect Growth Regulator

- Breaks the cockroach life cycle
- Inhibits reinfestation by cockroaches for 6 months
- Powered by 3 modes of action

ACTIVE INGREDIENTS:

(S)-Hydroprene	9.0%
Novaluron	2.6%
Pyriproxyfen	2.6%

OTHER INGREDIENTS: **85.8%**

TOTAL: **100.0%**

Contains 0.7 lbs. (S)-Hydroprene, 0.2 lbs.

Novaluron and 0.2 lbs. Pyriproxyfen per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No. 53883-444

EPA Est. No. 53883-TX-002

Net Contents: 1 PINT



ADAMA

Manufactured by:

Control Solutions Inc.

A member of the ADAMA Group

5903 Genoa-Red Bluff
Pasadena, TX 77507

EPA 052721